Library, N.W. Bldg

JUL 1 1 1963

CRPL-F 226 PART B

FOR OFFICIAL USE

Reference book not to be taken from the library.

PART B SOLAR - GEOPHYSICAL DATA

ISSUED
JUNE 1963

U. S. DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STANDARDS CENTRAL RADIO PROPAGATION LABORATORY BOULDER, COLORADO



SOLAR - GEOPHYSICAL DATA

CONTENTS

-		COLAD	TO TO TO TO
I	DAILY	SOLAR	INDICES

- Relative Sunspot Numbers and 2800 Mc Solar Flux April May 1963 (a)
- (b) Graph of Sunspot Cycle

II SOLAR CENTERS OF ACTIVITY

- (a) Calcium Plage and Sunspot Regions - May 1963
- Revised Final Coronal Line Emission Indices October, November, December 1962 -(b-g)

January, February, March 1963 Provisional Coronal Line Emission Indices - May 1963

III SOLAR FLARES

- (a-i) Optical Observations - May 1963
- (k) Flare Patrol Observations - May 1963
- Optical Observations February 1963 (1-n)
- Flare Patrol Observations February 1963 (0)
- Ionospheric Effects (SWF-SEA-SCNA-SPA-Bursts) April 1963 (p)

IV SOLAR RADIO WAVES

- 2800 Mc Outstanding Occurrences (ARO-Ottawa) May 1963 (a)
- 2800 Mc Outstanding Occurrence (ARO-Ottawa) Graphs April 15, 16, 19, 1963 108 Mc Outstanding Occurrences (Boulder) May 1963 (b)
- (c)
- 108 Mc Selected Outstanding Occurrences (Boulder) Graphs, May 20, 23, 24, 25, 29, 1963 (d)
- 7.6 41 Mc Spectral Observations (HAO-Boulder) May 1963 (e-f)
- 9.1 cm Spectroheliograms (Stanford) May 1963 (g-1)
- 169 Mc Interferometric Occurrences (Nançay) May 1963 (m)

V COSMIC RAY INDICES

- Climax Neutron Monitor April 1963 (a)
- (b) Deep River Neutron Monitor - April 1963

VI GEOMAGNETIC ACTIVITY INDICES

- C9 by Solar Rotations 1957 1962 (a)
- C, Kp, Ap and Selected Quiet and Disturbed Days April 1963 (b)
- (c) Chart of Kp by Solar Rotations - 1963

VII RADIO PROPAGATION QUALITY INDICES

(a) CRPL Quality Figures and Forecasts - North Atlantic and

North Pacific - April 1963


(b) Graphs Comparing Forecasts and Observed Quality - North Atlantic and

North Pacific - April 1963

Graphs of Useful Frequency Ranges - April 1963 (c-d)

VIII ALERT PERIODS AND SPECIAL WORLD INTERVALS

(a) Alerts and SWI - May 1963




The text describing the contents of Part B was republished in November 1962. A revision was made December 1962, and an addenda January 1963.

Apr. 1963	American Relative Sunspot Numbers R _A ,
1	16
2	19
3	13
4	12
5	15
6	42
7	39
8	54
9	66
10	49
11	46
12	51
13	47
14	38
15	41
16	37
17	29
18	29
19	22
20	15
21 22 23 24 25	1 0 0 0
26	0
2 7	0
28	5
29	13
30	18
Mean:	23.9

May 1963	Z ^U rich Provisional Relative Sunspot Numbers ^R Z	Daily Values Solar Flux at 2800 Mc, Ottawa, Canada Flux
1	23	82
2	22	82
3 4	24	81
5	20	82
)	26	84
6	43	87
7	46	88
8	55	86
9 10	48	88
10	72	87
11	63	84
12	55	87
13	54	89
14	60	95
15	67	98
16	65	100
17	74	100
18	85	98
19	74	99
20	58	91
21	49	88
22	37	89
23	32	93
24	28	89
25	18	83
26	9	76
27	18	80
28	36	79
29	32	80
30 31	37	83
21	35	89
Mean:	44.0	87.6

COMMERCE - STANDARDS - BOULDER



Ha

CALCIUM PLAGE AND SUNSPOT REGIONS

MAY 1963

CMP	LAT.	MCMATH	RETURN			CALCIUM PLA					UNSPOT	
MAY 1963		PLAGE NUMBER	OF REGION	CMP VA AREA	LUES	HISTORY	AGE (ROTA- TIONS)	DATE FIRST SEEN	DURA- TION (OAYS)	CMP VA AREA	COUNT	HISTORY
01.8 02.4 02.5 02.7 04.5	N24 N14 N01 S09 N01	6789 6787 6791 6792 6797	(1) 6756 6763 (2) (1)	(400) 1500 1000 200 (200)	(2) 2.5 2 2 (2)	$\begin{array}{cccc} b & \wedge & d \\ \ell & \gamma & d \\ \ell & - & \ell \\ b & \wedge & d \\ b & \wedge & d \end{array}$	1 6 2 1	4/28 4/26 4/26 5/2 5/7	~11 ~12 ~12 2 1			
04.7 06.2 07.7 07.9 09.3	N17 N01 N29 S15 N10	6790 6798 6799 6796 6794	(3) New (4) New New	5000 200 200 1200 1100	3.5 2 2 3.5 3	l — l b √ l b ∧ d b / l l — l	2 1 1 1	4/28 5/7 5/8 5/4 5/4	~12 5 2 9 12	270 20 350 120	4 2 4 2	ℓ — ℓ b ∧ d b / ℓ b ∧ ₫
10.1 11.9 14.6 15.0 15.9	N11 S13 N15 S09 N14	6800 6795 6802 6801 6803	(1) 6766 (5) (8) 6784 (6) (8)	(100) 2600 1600 1200 1000	1.5 3 3.5 3 2.5	b ∧ d ℓ − ℓ ℓ − ℓ b / ℓ	1 2 1 2 1	5/8 5/ \$ 5/8 5/8 5/9	1 13 (11)* 14 (7)*	190 2 20 (46 0)	8 1 (6)	b / l l — l b — l
16.4 17.5 18.5 19.6 21.8	N03 N11 N03 N10 N04	6804 6807 6814 6805 6806	(4) (4) New New (7)	200 300 (1200) 4000 (500)	1 1.5 (4) 3.5 (1)	b ∧ d b ∧ d b / ℓ ℓ - ℓ ℓ ↑ d	1 1 1 1	5/13 5/16 5/21 5/13 5/15	2 2 4 13 3	(199) 810	(6) 11	b / l l — l
21.8 22.5 23.6 24.1 24.9	\$01 \$25 \$12 \$16 N20	6808 6810 6809 6813 6818	New New New New (4)	400 400 100 100 (400)	1 2 11 1.5 (1.5)	h ∧ a b ∧ d ℓ ¬ d b ∧ d h / ℓ	1 1 1 1	5/18 5/21 5/18 5/23 5/28	3 4 4 5 2			
25.8 27.5 27.8 28.7 30.7	\$09 \$19 \$09 N12 \$25	6819 6822 6811 6812 6823	(1) New New New New	(100) (200) 800 1700 200	(2) (2) 2 3 2	b \ \ d \ b \ \ \ \ell \ \ \ \ \ \ \ \ \ \ \ \ \ \	1 1 1 1	5/28 5/30 5/21 5/22 5/30	1 3 13 13 3	(120)	(2)	l — l
31.1	N14 N22	6815 681 6	6790 67 9 0	1800 1500	3.5	£ — £	3	5/25 5/25	13 13	28 0	7	ъ ∧ •1

(1) New - but small and ephemeral.

(2) New and ephemeral, but in position of 6758.

(3) Region 6790 is a return of part of old region 6759 that experienced a rejuvenation on the disk after April 6.

(4) New but ephemeral.

(5) New - return of part of 6769 with rejuvénation on disk after May 10.

(6) New - return of part of 6769 with rejuvenation on disk after May 15.

(7) New - in position of 6783.

(8) Regions 6802 and 6803 are examples of the expiration of an old plage (6769) followed by a re-development in the same position on the visible disk.

* () Denotes age as a new region.

REVISED FINAL CORONAL LINE EMISSION INDICES

OCTOBER 1962

North West query q	43 57 18 75 133 23 42 74 18	17 24 15a 14 17 8 16 24 6 x x x x	62 97 4 50 109 10 6 23 14 29 50 23	26 40 17 40 78 24 28 69 12 23 44 11 11 16 19	23 20 20 17 57 18 113 22 81 19	95 19 x x 11 63 12 80 9	data
Vorth West	263				23 20 57 113 81	95 57 80 80	date
00 NO3 S S S S S S S S S S S S S S S S S S S		17 16 16 × ×	22.52.65 23.55.65	173.88			围
					15 23 64 61 61	23 * 262	low well
ter) R1 R2 25 34	22.23	25a 14 12 x	25 th 6	26 58 58 58 58 58	66 39 18 28 11	17 26 27 27 39	index computed from low weight data
t Quadrent days later) R6 R1 20 25 24 34	23 20 10	20a 111 10	28 22 12 20	23.33	30 25 12 16 9	15 22 x 21 29 25	idex con
000	27 23	39 13 x	102 PB 50	119 119 56 114	132 23	23 8 8 8 8 8	a = ir
Sou (obse (6 6 14 15	13	8112	7237	28025	15 9 7 22 12	12 12 27 20 37	
nt' 11er) R ₁ x	30a x x	15 24 31 23	269 8 章 5	36 80 29 18 16a	49 11 * x 6	22 23 23 43 43	yellow line emission
South East Quadrant Served 7 days earlier) G1 R6 R1 66 x x x	20a × ×	10 119 22 18	7年8年	30 42 23 11 148	₩ × × 4	16 15 15 22 26 26	ow line
South East (observed 7 of 6 d1	* S *	55 31 17 14 22	Tw858	36 157 99 30 15	80 x x 1	36 24 31 19 12	= yell
600 (observed to 100 (o	11 9 ×	24 17 10 10 16	21 22 22 29 40	20 61 43 15	~~××5	22 11 16 8 8 8 0	ions
nt 11er) R ₁ x	17a x x	12 18 22 *	25.25 * 5.25	31 28 24 26a	72 18 44 44	23 17 18 43 22	no observations
Quadra ays ear R x	14a x	10 17 17 17	24 26 47 35	26 29 22 19 22 22	47 12 * *	17 17 17 17 17 17 17 17 17 17 17 17 17 1	H
North East Quadrant Served 7 days earlier) G1 R6 R1 92 x x x 7 50 13 14	% % %	27 28 22 42	5 7 7 8 K	22 23 25 25 15 25 25 25 25 25 25 25 25 25 25 25 25 25	22 × × 22 × × 205	137 90 38 56 72 121	
North (observed G G G 69 9	% 2 ×	16 20 21 36	S. 4. 7. 8. 3	42 17 28 17 6	11 6 * * 8	864832	
CMP Oct 1962 1	M4 N	6 8 9 10	112 123 134 15	16 13 20 20	21 22 23 24 25	228828	

Note: This table and the five following for coronal line emission indices through March 1963 replace the six similar tables published as tables II c-h in CRPL-F 225 Part B May 1963. The earlier data were incorrect because of instrumental difficulties at the Sacramento Peak Observatory. Appropriate corrections have been made.

EMISSION INDICES REVISED FINAL CORONAL LINE

NOVEMBER 1962

it (er)	R	18 17 15 15	13 20 20 20 20 20 20 20 20 20 20 20 20 20	48 × × 27 35	40 40 17 20	58 × × × 54	18 14 20 11	1007
Quadrant days later)	R6	10 15 12	100	38 × × 25	29 16 12	17 * x 27	14 15 15	
est 7	G ₁	53 34 114 111	50 55 x x x	× × 82 72 22	x 65 66 71 41	54 84 96 128 34	22 23 23 23 24 23 23 23 23 23 23 23 23 23 23 23 23 23	
North W	95	34 26 12 9	% × % ×	47 74 24 29	44 47 25	32 61 65 65 21	20 20 20 20 20 20 20 20 20 20 20 20 20 2	reight dat
nt ter)	R ₁	83 45 13 22 22	24 19 x	× × 0 4 5 4 5 5	68 22 × 21 14	22 28***8	21 17 27 22 24	index computed from low weight data
South West Quadrant	R6	32 31 10 21 17	17 10 x x x	x x 42.25	38 38 12	19 x x 27	17 15 14 17	mputed
est 7	G ₁	\$ 2 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	25 44 × x	× × × 222 × × × 252 × × × 252 × × × 252 × × × 252 × × × 252 × × × 252 × × × ×	11.3 44 8 1.3	14 31 29 27 22	11 14 17 13	ndex co
South We	95	23 22 7 9	28 28 24 × 8	4 × × 27 27 411	41 29 6	9 19 20 19	8 9 7 13	8 = 1
nt lier)	R_1	27 18 25 19 41	28 42 28 71 29	67 67 67 67	76 4.6 6.4 1.7 2.2	12 ××××	21 13 17	yellow line emission
South East Quadrant served 7 days earlier)	R6 .	19 16 20 14 24	25 22 13 31 24	25 31 37 47	47 16 13 13	∞ккик	11 11 16 ×	low lin
7		40 41 12 13	19 49 60 77	x 1119 105 73 40	12 45 10 11	19 26 x	× 1282 ×	* = yel
South (observed	95	118 18 9	128485	× 62 52 52 52	43 23 10 7	4 × 8 × ×	17 12 19	ations
nt lier)	R1	10 16 18 19 14	41 25 11 28 32	37 49 24 17	28 10 24 17	27 2 × × × ×	x 11 11 x	no observ
t Quadrant	R6	110115	26 14 8 25 24	x 21 25 18 12	20 18 13	12 x x x x	×11.00 ×	×
Eas 7		85 56 23 23	84 87 54 35 64	25.3 × 8.5 ×	22.1.28	67 57 x x	×455×	
North (observed	95	48 23 21 20	31 45 27 24 32	30 × 51 32 × 14	16 9 15 21 31	3 × 7 × ×	26 19 30 x	
CMP	1962	ころをすり	9 8 8 7 9	11 12 13 14 15	16 17 19 20	22 23 24 25 25 25	25 28 29 30 30	

REVISED FINAL CORONAL LINE EMISSION INDICES

DECEMBER 1962

- [
	unt iter)	R	84 × ×	× 503%	% 50 × 1 × × × × × × × × × × × × × × × × ×	18 × 21 × 41	17 10 10	14 × × × 500	
	North West Quadrant	R6	27 21 18 ×	8252 ×	×IXX	15 8 × 8 26	× 2 C C 8	× × 4 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	North West observed 7	\mathfrak{g}_1	52 × 27 × 27	28 17 25 45	14 33 x	31 57 57 48	31 20 14 16 20	× × × 23 20 22 22	ı
	Nor (obse	99	50 40 82 × 0 × 0 × 0 × 0 × 0 × 0 × 0	14 13 16 27 20	× 0 × 0 ×	7×8×2	18 10 12 16	x x 12 15 12 12 12 18	
	nt iter)	R1	28 22 27 *	28 22 21 24 x	15 21 ×	17 12 12 88	22 16 14 20	355 × × 24	
	Quadrant	ж ₆	21 15 18 ×	23 20 17 20 ×	100 150 150 150	14 5 5 5 8	x 119 110 110	× × 199	
	South West Quadrant	g ₁	15 22 16 x 22	31 22 39 64 50	* 6 × 6 ×	9× 2× 8	18898	× × 755 55 87 87 87 87 87 87 87 87 87 87 87 87 87	
	Sou (obse	96	9 10 10 **	17 16 26 30 25	× 72 × 72 ×	4 × 0 × v	ろっちょう	× × × 9 × × 23	
	nt lier)	R_1	46 21 35 35	* * * * * 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7	28 28 28 28	18a 22 * *	35 16 10 *	11 × 8 × 51 ×	
	st Quadrant days earlier)	R ₆	29 x 18 19 25	34 × × × × 24 × × ×	14 26 19 19	12a 14 × ×	25 13 × × ×	8 × L × × × × ×	
	Zage ~	\mathbf{G}_{1}	24 20 24 50	2444 2008 2008	0 28880	11 4 8 8	∞0∞N×	0 × 8 × 0 ×	
	South (observed	95	15 32 9 16 22	% 33 33 34 34 35 36 37	21 24 24 12	2 × 2 × 2 11	N N N N X	10× 4× 4×	
	er)	R_1	60 * 22 20 17	× × × × × × × × × × × × × × × × × × ×	21 35 48 21	208 22 x 4.5	42 31 17 ×	2 × × × × × × × × × × × × × × × × × × ×	
٠	uadrant s earli	R ₆	27 x 19 11	267 267 267	15 28 19 14	12a 14 × 28	33 13 × ×	2 × 11 × ×	
	North East Quadrant (observed 7 days earlier)	G_1	144 25 25	81 40 39 64 95	3823.86	17 15 39 92	104 87 34 15	13 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
	Nor (observ	95	80 24 15	23.25.25.25.25.25.25.25.25.25.25.25.25.25.	22 24 24 22 22	11 10 25 44	22 22 ×	12 × 21 × 20 × 20	
	CMP	1962	10745	6 8 8 9 10	1122 114	16 17 18 19 20	22 23 24 25 25	26 27 28 29 29 31	

x = no observations

* = yellow line emission

a = index computed from low weight data

REVISED FINAL CORONAL LINE EMISSION INDICES

JANUARY 1963

nt ter) R,	→	28 27 17	21 20 14	× × 98 × ×	22 21 9 15 14	13 14 25	x 17 24 22 0
Quadrant days.later R	0	x x x x 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	x x 116 123 120 120	x x 12 12 x x	14 14 8 8 11	10 10 16	× 111 18 15 15 15 15 15 15 15 15 15 15 15 15 15
bserved 7	7	34 13 x 31 29	× 7,000	x x 2 4 7 x	70 26 11 15	23 11 13 43	19 × 60 00 00 00 00 00 00 00 00 00 00 00 00
(observed	o	15 7 × 21 24	10 12 8 8 7 7	× × 8 8 ×	8100 8010 8	19 10 28 24	13 7 10 7
ater)	4	10 10 10	× × × 21 52 52 52 58	x x 2 1 2 2 x x	20 24 11 18	28 18 22	x 21 21 21 11
days later)	3	×11 × ~ ∞	x x 411 15 15	x x 0 0 x	17 22 9 15	12 12 16 16	× 0,81 11,88 11,41
observed 7 d	4	22 11 22 30	×80000	x x 0 0 x	90,000	10 28 20 20	× 501
esqo)	D	12 7 17 17 24	14 11 11 9	x x v 4 x	0 8 N N 4	12 4 7 9	NOFFOX
lier) R,	т	6 × 8 × 8 × 8 × 8 × 8 × 8 × 8 × 8 × 8 ×	21 24 22 x	28 19 26 24 13	21 10 14	24 24 14 ×	23 × 7 × 4.2 × 4.2
days earlier)	5	29 x 29 18	17 12 17 ×	14 10 19 10	13 x x y x	19 17 12 ×	16 16 26
g ~ _	4	18 45 39 35	45 20 34 42 x	20 17 8 8	8 x 21 x x	6 4 111 x	17 32 5 5 11 20
(observed	0	12 x 14 16	18 14 21 22 x	0000	2 × 10 × ×	メンクトヤ	15 2 x x 7
lier) R,	1	1 33 x 35 35 35 35 35 35 35 35 35 35 35 35 35	18 16 45 × ×	28 15 28 45 45	56 12 12 ×	x 14 21 10	8 8 8 × 255 × 28
Served 7 days earlier)		25 x 2	12 24 x x x	20 6 118 21	0 x v v x	x o ll o x	22 24 x 9 5 x
2 2	7	39 x 17 11 20	222 288 27 27 x	15 22 64 53	71 41 74 ×	11 11 16 24 ×	14 10 10 14 18
(observed	D	28 x 77 8 71 8 71 8 71 8 71 8 71 8 71 8 7	14 16 21 25 x	9 12 26 31 47	7 × 2 × ×	11 9 12 14 x	11 20 7 x 10
Jan 1963		10745	6 8 8 10	112 113 114 115 115 115 115 115 115 115 115 115	16 17 19 20		25 27 29 30 31

REVISED FINAL CORONAL LINE EMISSION INDICES

FEBRUARY 1963

North Ea	G ₆ G ₁	15 29 11 25 11 26 23 46 7 9	5 15 16 35 36 35 27 50	20 45 20 46 14 20 7 10 15a 28	17 19 11 11 11 11 11 11 11 11 11 11 11 11	24 56 X X X X X X X X 45 87 87 87 87 87 87 87 87 87 87 87 87 87	2 t x
st		13 18 23 19 19	17 4 14 x 19	2,1 1,4 1,4 2,0 3,0 3,0 4,1	~***	19 x 11 9 10	16 12
ant rlier)	R	17 27 42 x	21 28 28 49	25 25 10 6	C × × × ×	27 x 27 20 13	x 21 14
South (observed	95	15 10 5 14 6	14 12 12 5	Lux tu	₽И Х О ₹	w×∞∞ rv	× ~ 4
Ea.	اہا	43 13 8 17 10	14 24 6 16 10	10 6 6	12 2 × 11 10	3 x x 10 10	* + +
South East Quadrant served 7 days earlier)	R ₆	15 21 13 x	20 10 10	11, 2, 1, 4, 1, 8, 8, 8, 8, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	****	14 × × 5 10	12 8
nt ·lier)	R ₁	24 35 14 ×	41 6 14 x	17 13 17 17	\sim × × ×	17 18 12 14	x 14 10
Sor Sor	99	12 18 11 x 43	10 14 × 12	タギミシラ	4 W W W W	7 11 8	n * 0
South West Quadrant (observed 7 days late		25 23 14 87	18 23 x 17	8 * 12 14 10	NUNCN	9 15 7	ω×∞
Quadrant days later)	^R 6	××× ¢ 0	×11 × × ~	9 15 12	98 11 2 8 8 8 8	13 7 2 x x	к∺∞
nt ter)	R	∞ ∨ × × ×	1,7 x 1,0	11 x 21 14 x	11 10 14 7	18 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	10 × ×
Nor (obse	99	11 15 4 4 8	4 2 5 37 37	19 8 4 8	4 5 5 6 5 1	39 16 12 x	11 ×8
North West Quadrant (observed 7 days late	g_1	14 22 6 x	20 × 28	50 x x 8 x 7 7 7 7 7 1 7 1 7 1 7 1 7 1 7 1 7 1 7	5 2 10 21	51 26 20 × 0	17 x 14
t Quadrant days later)	29	ου×××	17 × × †	0 X C O K	50000	16 7 8 × ×	××o
unt ater)	R ₁	150 × × ×	20 × × 51	8 × 11 0 ×	10 7 17 15	28 01 8 × ×	10 × ×

FINAL CORONAL LINE EMISSION INDICES REVISED

MARCH 1963

								1
nt ter)	R_1	000 x x x	× × × 49	x 10 11 14 18	23a 10 16 18	x x 252 x	× × × × ×	BOULDER
days later	R ₆	22 x x x	15 22 x x 2	x o o o u	22a 6 113 8	× 6,89 × ×	* 0 * * * *	STANDAMES -
est 2	G	10 10 8	45 × × 8	87 36 31 39	11125	82 73 45 x x	* * * * * *	
North W	99	* 0 00 ×	26 26 x x 44	72 25 118 17	10 15 29 37	62 41 24 x	*~***	eight date
nt ter)	R	52 28 x x x	15 × × × 01	× 0,09,8	68a 32 65 32 11	× 8 0 × ×	100	index computed from low weight data
Quadrant	R ₆	41 17 8 8	× II × × °	16 14 22 24 24	36a 22 40 26 8	22 16 × ×	* 7. x x x x .	mputed
South West	g.	17 20 10	20 x x 20	37 8 8 6	81189 0	250 250 8 x x	*****	ndex co
South W	95	x 644	x x x 7	70000	0 M 00 00 00	~ 100 ~ × ×	****	а = 1;
adrant earlier)	R1	10 28 13 8	10 14 7 7	28 × × × × × × × × ×	12 8 10 × ×	18 x x x x x	14 11 28 26 26 16	yellow line emission
South East Quadrant served 7 days earli	R ₆	x881	∞0 N N X	×××∞ 2	12 4 8 x x	15 x x x x x x	13 8 15 12 12	ow line
th East ved 7 d	G _J	8 00 10 118 114	10 32 55 x	10 8 8 8 8	120 22 x x x	6 8 15	88 89 11, 23	= yell
South Cobserved	95	110000000000000000000000000000000000000	21 20 x	× 2 × 4 0	10 20 20 20 20 20 20 20 20 20 20 20 20 20	n t x x y	1 1 1 1 1 1 1 1	ions
nt ·lier)	R	28 113 113	14 10 14 14 x	×××7.28	16 14 11 *	8 * × £ ×	13 14 24 28 28 28 24	no observati
Ast Quadrant 7 days earlier)	R6	× 9 15 11 100 100 100 100 100 100 100 100 1	99ncx	24 × × ×	~~~××	3 × × 5 ×	11 10 18 22 22 24 24 20	11 ×
	G ₁	11 8 4 5 5 5 5	0 55 5 ×	121 42 x 25 17	4 x x 6 4 x	8 x x 20 &	88 88 88 113	
North (observed	99	たたろろく	20 111 34 x	1, 83 1, 83	1119 × ×	74 25 34 34	70000V	
CMP	1963							

PROVISIONAL CORONAL LINE EMISSION INDICES

nt ter)	R.	××	28%	44 × × 52 52 56	10 34 17 17 18	28 × × × × × × × × × × × ×	* ~ × × ×	28 44 32 75 75 76 77
Quadrant days later)	R ₆	××	29 21 19	x x 27 14	19 36 x x	* * * \$ 04 64	ν××ν×	6 51 12 27 27
est 7	G ₁	× 88	126 28	17 34 36	× 6 0 × ×	×××000	11 80 80 80 80 80 80 80 80 80 80 80 80 80	12 50 160 21 22 31
North W	95	х 56а	53 32	13 x 16 9	31 47 * x	××× C C	o x y m u	10 10 10 10 10 10 10
nt iter)	R1	× × -	34 32 48	××	20 7 7 7 7 7 7	6 l2 x x x	8 × × × ×	288 288 164 164
: Quadrant days later)	R ₆	××	2 8 8	× × 832 × ×	15 28 x x	35 × × ×	C × × \cdot ×	31 24 27 21
est 7	G1	× 20a	25	48 31 19 50	× × × 679 × ×	3×××	7 x 7	8 11 10 10
South W	95	x 13a	11 12 7	. 21 . x 119 13	× 8 27 × ×	* * * X 8	ンサンX ヤ	6 6 0 N 0 0
nt lier)	R	××	32 17	16 40 × × 6 68	68 73 8 × ×	28 28 10	× % 4 5 ×	88 4 × × × ×
	R ₆	××	13 15	15 x x x 21 41	34 × × ×	16 16 16 3	23 16 25 ×	16 29 x x x x
Eas 7	G_1	, 14a	22 × 6	11 x x 12 45	123 73 56 x	1,7 1,1 8 6 1,1	× 0 0 0 ×	4 L × × × ×
South (observed	95	× 6a	0 x C	10 10 25	43 × × ×	∞ rv rv v w	* \(\nu \nu \x	8 J × × × ×
it ier)	R	× ×	× 82, 82,	28 x x x 26 34	×× 23 8 8	13 31 44 17	× 28 82 ×	6.4 4 × × × ×
st Quadrant	R ₆	× ×	× 61	28 × × 28	21 18 26 * *	11 24 34 12	× 25 25 ×	17 21 * * * *
% ~	G ₁	, x 73a	7, × 99	% × ×∞∞	11 36 ×× 39 ××	238583	×11 ~ 11 ×	12 22 x x x x
North E (observed	95	x 33a	ς × _∞	2 × × 0 r	12 18 25 x	25 21 30 30 30	× 0 0 0 ×	1181 ××××
CMP May	1963	- 2		6 9 10 10	11 12 13 14 15	16 17 19 20		

SOLAR FLARES MAY 1963

PROVISIONAL	IONOSPHERIC EFFECT	SL-SWF							
	MAX.	50	10	16		16			17
	MAX. WIDTH Ha								
The section of the se	CORR. AREA Sq Deg.		0 000	4 6		90000		1.00	1.42
-	MEAS. AREA Sq. Deg.	1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		• 43	80			1.00	1.40
	TIME	0149	1507 1503 2043 2221 2357		0837	1240 1340 1601		1103	
- CANO		1 6 77	m m N N N	m	m	N W W N	77	1 2	е .
Ė	POR.	1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 + + + + + + + + + + + + + + + + + + +	1-	1			+ +	1-1
DURA.	TION								
	McMATH PLAGE REGION	6790 6790 6790 6790	0619					06190	
LOCATION	LAT. MER DIST	NIT E45 NIS E47 NIS E46 NIS E46 NIS E49 NIS E49 PATROL PATROL	P P A T R O L P A A T R O L N O S E 90 N 18 E 22 N 12 E 18	PATROL PATROL PATROL N17 E16	PATROL NIO E67 PATROL PATROL	PATROL NO99 E64 NO99 E61 NO99 E63	PATROL PATROL N17 W07 N14 W07	PATROL N15 W03 N18 W16	N16 W16
	MAX	N R R R	NO FLARE NO FLARE NO FLARE NO FLARE 1503 2221 2357	NC FLARE NO FLARE NO FLARE NO FLARE 1847 NO FLARE	NO FLARE NO FLARE NO FLARE NO FLARE NO FLARE	4 L A R E E E E E E E E E E E E E E E E E E	NO FLARE NO FLARE	NO FLARE 1058 2025	2048
OBSERVED	UNIVERSAL TIME	0150 0150 0824 0835 0755 0755 11064 01105	0620 0730 10130 1040 1517 1515 2228 2400	0755 1000 1020 1045 1851 2400		11225 12255 12488 13488 1606	0615 0805 0827 0839 0339	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2120 U
	START	0128 0155 0155 0155 01035 01035 01035	0120 0655 1000 1020 1500 1501 2216 2355	0145 0900 1005 1025 1845 2330	0000 0750 0823 E 0930	1010 1010 1237 1329 1334	0145 0800 0805 E 0805 E	1040 1058 E 2010	2014
DATE	MA Y	000000000000000000000000000000000000000	00000000000000000000000000000000000000	mmmmmm 000000	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	00000	000	0.0
	OBSERVATORY	LOCKHEED WENDEL ATHENES BUCHAREST	C OTTAWA MCMATH MCMATH LOCKHEED LOCKHEED	SAC PEAK	CAPRI-S	OTTAWA OTTAWA C SAC PEAK OTTAWA	C BUCHAREST	CAPRI-S MCMATH MCMATH	-SAC PEAK

COMMERCE

SOLAR FLARES MAY 1963

BOULDER PROVISIONAL IONOSPHERIC EFFECT STANDARDS 20 17 20 18 16 18 20 MAX INT. 2.30 2.00 MAX. WIDTH He 1.70 .70 1.30 3.00 MEASUREMENTS CORR. AREA Sq Deg. .65 1.10 .80 .56 1.90 2.20 3.56 1.28 .40 MEAS. AREA Sq Deg. 0803 0925 0932 1239 1152 1225 1219 1311 1506 1549 1550 1753 1750 LIME OBS. 22 NMN $\alpha \alpha \alpha$ NMNN 4000 2218121 IM. POR. TANCE 1111 11111 1 1 1 1 1 1 ۵ DURA. 20 14 21 23 21 McMATH PLAGE REGION 6790 6796 6796 6796 6796 6796 6796 6796 6796 6798 9619 LOCATION PATROL
PA PATROL NO2 W25 PATROL PATROL PATROL \$15 E25 \$13 E25 \$13 E22 \$15 E21 \$15 E21 \$15 E20 \$15 E20 \$15 E20 \$15 E20 \$15 E20 \$15 E20 N14 W16 N14 W16 N14 W16 MER. DIST. APPROX. LAT. NO FLARE NO FLARE 0142 NO FLARE NO FLARE NO FLARE F 15550 15550 17550 17550 17550 17550 17550 17550 17570 FLARE FLARE \supset 1240 1219 1513 1513 MAX. 2042 2348 0011 00 000 OBSERVED UNIVERSAL TIME 0000 0000 000 \Box \circ 0605 0822 1000 1012 0936 1025 1150 1145 1251 2115 0043 0043 0615 0621 0800 1230 END யயயய w ш ш W 0150 0800 0825 0928 0932 1005 1135 1139 1234 0000 0550 0750 1005 START 2024 2331 2331 MAY 1963 05 900990 008 MCMATH MCMATH MCMATH MCMATH MCMATH MCMATH SAC PEAK HUANCAYO HUANCAYO MCMATH SAC PEAK HUANCAYO MCMATH COTTAWA MCMATH LOCKHEED LOCKHEED LOCKHEED - MCMATH - WENDEL - MCMATH - CAPRI-S - SAC PEAK CAPRI-S - ARCETRI - CAPRI-S - WENDEL LOCKHEED WENDEL WENDEL WENDEL WENDE . \Box

PROVISIONAL	IONOSPHERIC												
2	INT	16		16	16	10			16			16	16
> 2	WIDTH								2.50				
MEASUAEMENIS	AREA Sq Deg	74.	1.00		64.	0 7 •		1.05	. 80	150	2 • 30	1.41	• 52
	AREA Sq Deg	.43	8 0	4000	• 41	0 4 •	1.00	1.05	. 80	1.000	2 • 00	1.28	• 31
TIME	T U		0815	1631		0011	0945	1124	1449	1121 1205 1457 2003	6590	1149	
COND.		W	N N W	пнпп	н	2	ммм	e 1 €	2.6	7	2	999	3
ž č	TANCE	1-	1 1 1	1111		1	1 1 1	1 1 1		1 1 1 1 1 1	-	1 1 1]=
DURA.	MINUTES										17 D		
N N N N N N N N N N N N N N N N N N N	PLAGE			9629						4629	6802		
APPROX	LAT. MER DIST	S12 E40	PATROL NOI W38 NOI W38 NO3 W35 PATROL	S13 W24 S13 W24 S14 W25 S14 W25	PAIROL S14 W28 PATROL	S13 W27 PATROL PATROL PATROL	N19 #80 S09 E24 S09 E24	507 E23 510 E21 507 E23		PATROL NIO W22 PATROL NIO W24 NIO W24 N22 E38 S11 W47	PATROL PATROL N14 E25	NO7 W38 S15 W67 S16 W68	S14:W67
	MAX	2130	NO FLARE 0717 NO FLARE	10 FLARE 1633 1631 1813 U 2001 10 FLARE	NO FLARE PA 2250 U S14 NO FLARE PA	0011 NO FLARE NO FLARE	(<	TLANE FLARE	0 FLARE 1450 1451	O FLARE O FLARE O FLARE	A N E	J	_
OBSERVED UNIVERSAL TIME	END	2150	000	1235 1640 1648 1852 U 2014 D	0	000000000000000000000000000000000000000	000	1134 D 1208 D 1206 D	240 502 500	0115 0615 1016 1235 1139 0 1210 2027	0600 0635 0712 D		
D	START	2124	0200 0645 E 0708 E 0712 E	1040 1627 1812 1956 2220	2247 E	0006 0215 0740 0920	0945 E 0954 E 1040 E	1029 1124 E 1201 E 1215	1230 1445 1447	0040 0150 1005 E 1030 1115 E 1147 E 1456 E	0140 0610 0655 E	1248 1245 1246	1353
DATE	MAY 1963	90		6 6 6 6 6 6		00000						127	
	OBSERVATORY	SAC PEAK	BUCHAREST BUCHAREST CAPRI-S	C SAC PEAK MCMATH SAC PEAK SAC PEAK	SAC PEAK	LOCKHEED	CAPRI-S BUCHAREST BUCHAREST	CAPRI-S COTTAWA CAPRI-S	L SAC PEAK	BUCHAREST CAPRI-S CAPRI-S CAPRI-S MCMATH	CAPRI-S	OTTAWA SAC PEAK OTTAWA	P SAC PEAK

PROVISIONAL	IONOSPHERIC	EFFECT										SL-SWF								
ŀ	MAX		15				16	20							(0		20		20
	MAX.	Ha				2.40					2.60					2.40	2.30		•	2.00
ALASONEMIES.	CORR.	Sq Deg.		2 • 00	3 • 00	• 50	3.00	1.20		2.40	1 • 60	7.30	.82	1.10	• 62	4.30	3.00	1.00	2.39	1,50
	MEAS.	Sq Dog.	. 529	•			. 52	040	1.50	.70	. 50	3,60	.82	. 50	1.000	2.40	1.50	• 20	2.39	09.
	TIME	UT	1356	0830		1317	1356	1807	0420	1123	2106		1140	1141	1454	1451	1500	1655	1714	1715
COND			Neme			777	22.0	2	3	2	2 1	200	<i>m</i> (7 7 .	- m :	2	7	2	N E	2 2
έ	POR.	TANCE	1 1 1 1	1 1 1 1 1 1		1 1 .			+		- 1 - 1	1 2			1			1-		1 !
DURA.		LES		Q 06	22 D	u	17		7 9 p	52 D	-	28 D 30 D				0 6	18 D 4		17	
	PLAGE	REGION		6805	6802	0	0 0	6805	6805	6809	6805	6805	(7089		0	6805	C	6802	
LOCATION	APPROX.	LAI. MEH DIST	\$15 W67 \$14 W68 N12 W46 N10 E19	PATROL NO7 E85 NO7 E85 N11 E86 SO5 E16 SO7 E16	PATROL N10 E11 S09 E19	N15 E85 N11 E08	NIO E12 NIO E12 NIZ E09	NO9 E80	PATROL N10 E75 N10 E71	N10 E73	PATROL PATROL NO7 E69 NIO E70	PATROL NO9 E65 N10 E60	NO9 W16	NIOWID	N 10 W 12 N 0 8 E 5 4	NO7 E55	NO6 E55 NO8 E58	N11 W90	N13 W17	N12 W18
	>42	MAX. PHASE	1356 1441 1722 2255	NO FLARE 0918	FLARE	1355	1356 1357 U	1807	NO FLARE 0747 0813		NO FLARE NO FLARE NO FLARE 1554 2106	X.	NO FLARE			1451	634		1714	1715
UBSERVED .	UNIVERSAL IIME	END	1359 1443 1740 2301	0650 1120 D 0830 D 0940 D 0736 D 0738 D	1210 1157 D 1220 D	1341 D 1401	1405	1545	0735 0816 D 0918 D	200 D	1205 1215 1235 1557 2145	0655 0730 0940	1005	1150 D		1504	1511 D		1728	1733
	TABE	SIARI	1354 1437 1715 2248	0140 0308 E 0652 E 0810 E 0723 E	1120 1135 1204 E	1317 E 1350	1350 1352 1355 1355	1512	0200 0730 E 0812 E	1108 E	1200 1210 1230 1554 E 2055	0150 0702 E 0910 E	1137	1139 1140 E		1445 1452 E		9 1	711	1711 1715 F
DATE	ΥMA	1963	12 12 12 12		2000	255	1 2 2	13	14	14	1 1 1 1 1 1 1 1 1 1	15	15	15	15	15	15	15	15	15
	OBSERVATORY		SAC PEAK SAC PEAK SAC PEAK SAC PEAK	P BUCHAREST C BUCHAREST C ARCETRI C BUCHAREST BUCHAREST	WENDEL	CAPRI-S - HUANCAYO	- LUCAKNO - WENDEL - OTTAWA - SAC PEAK	MCMATH	C CAPRI –S L BUCHAREST	MCMATH	HUANCAYO MCMATH	BUCHAREST ATHENES	-OTTAWA	- MCMAIH - CAPRI-S	-OTTAWA		- CAPRI-S HUANCAYO	LOCKHEED	- OTTAWA	- LOCKHEED - HUANCAYO

-	MAX. IONOSPHEBIC INT. EFFECT	17	20		17	7	170	16	20		17	20				21	
	MAX. WIDTH Ha															2.10	
MEASUREMENTS	CORR. AREA Sq. Deg.	.58	. 80		. 50	• 40	1,30	. 29	• 70	. 441	1 4	.30 .70 1.34	1.60 1.60 1.60		1.20	1.24 3.10	
1	MEAS. AREA Sq Deg.	• 70	• 70		. 643	0 6 4	1.20	. 60	.70	. 30	. 4	.30 .70 1.34	1.50	• 00	• 70	1	
	TIME		0129		1247	1248	_	1816	0137	1423)	1656	0640 0719 0748 0900	0705	1130	1853	
COND		7.7	2	2 2	m m	m r	n m ^	100	2	m N m	2	222	2 5 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		л п	2 2 2
Ė	POR.	1 1	1_	1 1	1 1		1 1 1	1 - 1	1-	1 1 1	1-	1 1 1	1 1 1 1	1-1	1 1	1	1 1 1
DUBA.	TION — — MINUTES															34 D	
	McMATH PLAGE REGION					6805		6802		6805		6805			6803	6803	
LOCATION	LAT. MER DIST	N13 W17 N08 E54	NO9 E49 PATROL	PATROL NO2 W90 NO2 W90		N12 E42		N10 W34 N07 E38		PATKOL NO8 E25 N11 E28 N11 E28			PATROL NIO E20 NOS E20 NII W52	PATROL NO9 E00	NIS ESS	NIS WSS NI4 WSS PATROL PATROL PATROL	PATROL NO9 W10 N18 W62
	MAX. PHASE	1730	0129 NO FLARE	FLAR	1247	1248	1823	1816		NO FLAKE 1423 1642 1643	1644	1656 1946 1949	0 FLAR 0640 0720	FLAR		1850 1852 NO FLARE NO FLARE NO FLARE	NO FLARE 0720 0819
OBSERVED	UNIVERSAL TIME	1730 U 1750 D	32 D	645 739 D 904 D	1252	1253	1845	1841 D 2304		1015 1432 1650 1703		1704 2000 2000	150 712 D 732 D	4 9 1	105 215 147	1905 1926 2000 2010 2045 2400	0600 0724 0822 0940
	START	1720 E 1720 E	0124	0630 0708 E 0850 E	1245	1246	1800	1811	0134	0200 1420 1640 1640	1641	1654 1940 1940	0015 0605 E 0718 E 0748 E	2235 0000 0708 E	1108 E	1852 E 1955 2005 2040 2055	0000 0719 E 0816 E 0913 E
DATE	MAY 1963	15	16	16	16	16	16	16	17	17	17	17	188	18	19	100	20020
	OBSERVATORY	SAC PEAK	LOCKHEED	BUCHAREST BUCHAREST	F SAC PEAK FOTTAWA	- MCMATH	SAC PEAN SAC PEAN OCKHEED	- MCMATH SAC PEAK	LOCKHEED	OTTAWA MCMATH OTTAWA	- SAC PEAK	L MCMATH L LOCKHEED SAC PEAK	CAPRI-S CAPRI-S CAPRI-S CAPRI-S	CAPRI-S	NCMATH MCMATH	C SAC PEAR HUANCAYO	BUCHAREST BUCHAREST BUCHAREST

PROVISIONAL	IONOSPHERIC	EFFECT	7					SL - SWF	SL - SWF
	MAX.	H	16		15	17	50		18
	MAX.	WIDTH	2.50						
MEASUREMENTS	CORR.	AREA Sq. Dog.	1.60	C	11.4411	1.53	. 20 1 . 20 3 . 00 . 89	2	1.40
M	MEAS.	AREA Sq. Deg.	 8 & . 8 & .	, v	t nntnn t	1.34	. 50	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.50
	TIME	T D	1516	0854	3 11 52 6		0045	1141 1219 1220 1232 1232 1230 1316 1414 1412 1412	1504
OBS.	COND.		122	m 20	N 11839 N	2 2	2 2 2	пииииииии	1 2
-W	POR.	TANCE	1 7	1 1		7	1 1 1		
DURA.	TION	MINUTES	15	4 5	24 D	Q 99	39 D	33 33 D	20
z	McMATH	PLAGE	6803	6805 6805		6805	6814	6814 6814 6814 6814 6814 6814 6814	6814
LOCATION	PR-	LAT. MER DIST	N13 N14 N12 N12 E E 50 PATROL PATROL PATROL	PATROL PATROL NO6 E24 NO6 E24 NO6 E25 NO6 E25	N N N N N N N N N N N N N N N N N N N	PATROL N10 w37 N09 w40 N08 w40 N12 w44	N11 W42 PATROL N05 W59 N03 W64 N05 W67	N N N N N N N N N N N N N N N N N N N	NO5 W71 NO5 W71 NO5 W71
	+	MAX	1539 N 153 U NO FLARE NO FLARE NO FLARE	NO FLARE PONO FLARE PO	201 509 508 108 151 FLARE	NO FLARE NO 1733 NO FLARE	шш ш	41 32 52 03 112.	
OBSERVED	UNIVERSAL TIME	END	1605 1540 1610 U 1745 2045 2150 2400	0 0	1217 D 1217 D 1216 1511 1512 2120 2159 D 2350	1030 1808 D 1744 D 1750 1801 2315	0050 0600 0805 0907 0907 0856 0856	1155 1225 1325 1325 1425 1423 1508	1508 1541 D 1530 1527
		START	1432 E 1525 1552 E 1730 2040 2145 2200	0000 0720 0755 0854 0900 11148	1153 E 1154 1507 1507 2105 2200 2356	0135 1702 E 1710 E 1727 1752	0042 0135 0745 0827 0828 0830 1005	136 1142 E 1206 1229 1230 E 1314 1350 E 1351 E 1408	1454 1500 E 1510 1520 E
DATE		MAY 1963	20000 20000 20000	21 21 21 21 21 21 21 21 21 21 21 21 21 2	21 22 21 21	22 22 22 22 22 22 22 22 22 22 22 22 22	223333		2333
	OBSERVATORY		HUANCAYO LOCARNO SAC PEAK	CAPRI-S LOCARNO		WENDEL Wendel SAC PEAK	LOCKHEED CAPRI-S LWENDEL LARCETRI	MCMATH MCAATH MCAATH MCAATH MCAATH MCAATH MCAATH MCAATH MCAANATH MCAANATH MCAANATH	MCMATH CAPRI-S MCMATH SAC PEAK

PROVISIONAL	IONOSPHERIC	SIL- SWP	S - SW F	SL - SWF	S - SWF
MAX	INT.	118	17	18	17
MAX	WIDTH	D. C.			2 ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °
MEASUREMENTS	AREA Sq. Deg.	1 + 34 1 + 50 1 + 60 1	2.02	2	15.20 1.444 8.60
MEAS	AREA Sq. Dog.		2	0 4 0 4 0 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 9 9 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
TIME	10	1550 1707 1824 1925 2015 22015 2205	0931 1212 1203 1215 1215 1251 1251 1255	1446 1515 1519 1518 1931	1325 1625 1627 1713 1732
COND.		- N N	N NEUNNHU.	12221	N4004
Σ g	TANCE			1 1 1 1 1 1	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
DURA.	60	32 32 24 54 54 54 54 54 54 54 54 54 54 54 54 54	10 9 D	23 D	17 11 0 21 0
N. MATH	PLAGE	6814 6812 6814 6814 6814 6814 6814	6 8 1 4 6 8 1 4 6 8 1 6	6812 6812 6805 6805 6812	6815 6805 6805 6805 6805
APPROX	LAT. MER	X X X X X X X X X X X X X X X X X X X	PATROL NOATROL	N12 E56 N12 E56 N10 E55 N10 W73 N10 W72 N13 E52 PATROL PATROL	P P A A A A A A A A A A A A A A A A A A
	MAX.	A A A E E	NO FLARE NO FLARE NO FLARE NO FLARE 1203 1255 1255	446 445 517 519 518 FLARE FLARE	NO FLARE NO FLARE NO FLARE 1325 ARE 1709 1712 NO FLARE NO FLARE
UNIVERSAL TIME	END	1555 1655 1855 1855 1875 1936 1936 2020 2210 2210 2200 2300	00000000000000000000000000000000000000	00	00000 00000 10000 1015 1033 10438 11732 11
	START	1544 1548 11702 11810 11810 11904 2002 2002 2039 2158 2210	00000 00300 00300 00300 00300 110300 112501 12501 12503 1250	1443 1443 1500 1515 1515 2135 2145	00000 00500 00500 1010 11010 11020 1020 1
DATE	MAY	2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3	**************************************	**************************************	00000000000000000000000000000000000000
	OBSERVATORY	C SAC PEAK MCMATH MCMATH C SAC PEAK MCMATH M	ARCETRI WENDEL OTTAWA CARATH C	C SAC MAIH SAC MCMAIH MCMATH C OTTAWA MCMATH MCMATH	OTTAWA MMANTH SAC PEAK HUANCAYO MCMATH

PROVISIONAL	IONOSPHERIC	EFFECT												
l d	MAX 10	\dashv		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			16	16				16		
	MAX.	WIDTH				1.90			2 - 30					
MEASUREMENTS	CORR.	AREA Sq Dog		4.00 21.00 8.60 6.60	3.00 4.00 1.35	2.20	1.20	1.20 3.32 1.71	5.00	. 50	. 50	1.000	. 00	
MEA	MEAS.	AREA Sq Dog.	2 • 00	8.20	. 92	1.60	2.00	2.74 1.40	.50	2007	. 20	0 0 0	© @	
	TIME	. ur	0732	0633	0660	1151	1404	1509 1509 1509	1505	1621	1721	2028	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
OBS.	COND.		2	m N	w.	122,	1 2 6 0	7 N M M	1 0	120	2 5	1 m m	8	
IM.	POR.	TANCE	2	2231		3 1 1 .	1 1 1 .		1 + 1	1 1 1	1 1 -	111	1	
DURA.	z	MINUTES	179 D	36 D 98 D 40 D 43 D	42 32 D	j	114 D	33	30 D		_			
	McMATH	PLAGE	6805	6815 6815 6812 6812	6815	6815	6815	6815	6815	6817 6817 6815	6817 6815 6815	81		-
LOCATION	絽	MER	N12 W90 PATROL PATROL	ATROL 13 E48 10 E46 11 E13	3 E46 3 E46 2 E45 TROL	2 E47 4 E42 4 E45	6 E E E E E E E E E E E E E E E E E E E			6 E71 6 E71 4 E46	6 E70 4 E44 4 F44	13 E42 14 E44 ATROL ATROL ATROL	PATROL N11 E35 PATROL PATROL PATROL PATROL PATROL PATROL PATROL PATROL	ATROL ATROL
Ш	AP	LAT	N N I P A P A	0 Z Z Z Z Z	u 141	ZZZ	ZZZ	N N N N N N N N N N N N N N N N N N N	ZZZ	N 0 6	N Z Z	SSSGGG		<u> </u>
		MAX	0830 NO FLARE NO FLARE	NO FLARE	0 - L A 0 - F L A	51	1405	1509 1509 1514	1521	1621 1650 1709	1721 1801 1853	1851 NO FLARE NO FLARE	NO FLARE	NO FLAR NO FLAR NO FLAR
OBSERVED	UNIVERSAL TIME	END	0915 D 0825 1020	0600 0552 0702 0645 0658	0906 0944 0950 1040	158	1540 D 1430 1416	1422 1625 1534 1535	1518 D 1544 D 1536	1635 1700 1748	1752 1828 1930 D	1858 2032 2145 2300 2400	0600 0805 0955 D 1250 1930 1945 2000 2030 2050 2400	0700 0810 1130
		START	0616 E 0800 1005	0150 0516 0524 0605 E	0824 0912 E 0930 E		1346 E 1400 1402	1402 1457 1501 1504	1505 E 1514 E 1520 F		1720 1752 1832	1848 U 2023 2140 2245 2305	0000 0750 0852 1005 11940 11940 11955 2015 2025 2035	0000 0730 1010
DATE	_1	MAY 1963	26 26 26	227									28 28 28 28 28 28 28 28 28	29 29 29
	OBSERVATORY		CAPRI-S	WENDEL WENDEL ATHENES CAPRI-S	WENDEL WENDEL CARCETRI	MCMATH HUANCAYO MCMATH	- CAPKI-S - MCMATH - SAC PEAK	MCMATH OTTAWA SAC PEAK	CAPRI-S WENDEL HUANCAYO	MCC ATH MC ATH MC ATH	MCMATH MCMATH MCMATH	MCMATH MCMATH	CAPR1-S	

SOLAR FLARES MAY 1963

_	_																																	_
PROVISIONAL	IONOSPHERIC	EFFECT		SL- SWF																			SI- SWF											
	MAX.	F .	1	→	16	17															17		,	7	15		16							
	MAX	WIDTH Ha		1.90												,			1.80															
MEASUREMENTS	CORR.	AREA Sq Deg.	• 50	2 • 30	• 72	• 50		10.00	3 • 00		• 80		1 • 10			2.00		(2.40	. 50	1.67	. 70	04.0	9.00	• 29	. 60	• 41	0		5.00			1.20)
	MEAS	AREA Sq. Deg.	20	2.10	• 72	.50	_		-		. 80	,	00 • T						2.30	• 50	1.71	. 70	0 40	0.00	• 29	09•	643	0					1.20)
	TIME	T D	1506	1533							0747					1102			1416	42		1659	8	2000		2151		1477					1204)
OBS				7 7	-	2				2 0	1	2	m			2			2	1	2	7		1	2	2	7 -	-	0	1			m	
έ	POR-	TANCE	1.	1 -	-	1		0	7 [1			1			1 -	+	1		1 1		1 1	-			+ -	-	1-		
DURA.	TION	MINUTES							25 D			13 D	26 D			23			0 12		000								00	25				
	McMATH	PLAGE	6812					α	6815			6815	6815			6815	1	4 50 7	000	6815	0810	6815	8	6815		6815	-	6819	λ 2. α	6815		_	6815	,
LOCATION	읾	LAT. MER DIST	PATROL N11 W17	N12 E16	N12 E14	PATROL N11 E12	PATROL	PATROL	N14 E09	N12 E08	N13 E06	N13 E06	N15 E10	PATROL N13 F07	PATROL	N13 E05	N12 W28	N13 E07	N12 E07	N14 E08	N13 E03	N13 E02	N12 E02	N12 E00	N12 E00		N12 W02		PATROL N12 W02	NI4 E01	PATROL	N12 W05 PATROL	PATROL N13 W04	
		MAX. PHASE	W :		- A	FLARE 56	ARE	NO FLARE				0751		NO FLARE	NO FLARE				1418		1644 U					2151	2204	NO FLARE	NO FLARE		NO FLARE	NO FLARE	NO FLARE	,
OBSERVED	UNIVERSAL TIME	END	1330 1507 D		2108 D	۵					0 747 D		0804	0945		1125		1315 D			1714 U		1825	2008	2009	2210	2211		0755	0750				3
		STARI	1140 1452 E	1524 E		2145	2310				0743 E		0748 E			1102 1104 E	1208 E		1411		1643 E		1817	1959	1959	2148	2201	2325	0000	0725		0854 E	1010	
DATE	1	MAY 1963	29	29	29	29	29	30	200	30	0 0	0 0	300	0 0 0	300	9 9	30	3 0	0 0	0.0	3 0	30	9 8	9 %	30	0 0	06	300	2.5	18.6	31	31	31	
	OBSERVATORY		MCMATH	L HUANCAYO	SAC PEAK	SAC PEAK		ш С 2 2 3	T WENDEL	L BUCHAREST	CAPRI-S	- BUCHAREST	T ALHENES WENDEL	L C Z L J	1	C ZURICH WENDEL	WENDEL	WENDEL	HUANCAYO	L MOMATH	SAC PEAK	L MCMATH	MOMATH NACEDAY	T MCMATH	LSAC PEAK	T MOMATH MOMATH	L SAC PEAK		OCARNO	WENDEL WENDEL	1	L→ WENDEL	P MCMATH	


MAY 1963

1963 STAIT END MAX. LAT. MEB PLACE POB. POB. 1964 STAIT END PHASE LAT. MEB PLACE MINUTES LANCE 31 1202 E 1210 D N13 W03 N14 M2 31 1457 E 1503 D N09 W42 1 - 31 2325 2400 N0 FLARE PATROL 1 - 31 2325 2400 N0 FLARE PATROL 1 - 31 2325 2400 N0 FLARE PATROL 1 - 32 STAIT END NO FLARE PATROL 1 - 33 LATER PATROL LATER PATROL 1 - 34 LATER PATROL LA			DATE		OBSERVED			LOCATION		DIIRA.	Ė	OBS.			MEASUREMENTS			PROVISIONAL
MAY START END MAX	(2000			UNIVERSAL TIR	ME	APPR	×o		TION	POR.		TIME	MEAS.	CORR.	MAX	MAX.	CIGARGACACI
1963 PHASE DIST REGION MINUTES 31 1202 E 1210 D N)	SSERVATORI	MAY		END	MAX.	LAT.	MER		ì	TANCE		1	AREA	AREA	WIDTH	IN	EFFECT
31 1202 E 1210 D	- 1		1963	0		PHASE		DIST.	- 1	MINUTES			TO	Sq Deg.	Sq. Deg	На	.*	
31 1457 E 1503 D NO9 W42 31 1658 E 1713 D NO FLARE PATROL 31 2325 2400 NO FLARE PATROL	3	NOF	~	1202	0 0121		, N	60										
31 1658 E 1713 D NO FLARE PATROL	: 3	NDEL	31	1457 8	E 1503 D		60N	242			-							
31 2325 2400	- 5	NDEL	31	1658	E 1713 D		N 10	W12			1-1							
			31	2325	2400	NO FLARE	PATE	70%										
																COMMETROS	T - STANG	COMMERCIAL - STANDARDS - BOLL DER

KRASNAYA PAKHRA, USSR SACRAMENTO PEAK, N.MEX. USA STOCKHOLM, SWEDEN SCHAUINSLAND, GFR TASHKENT, USSR WENDELSTEIN, GPR NEDERHORST den BERGH, NETHERLANDS SAC PEAK SALTSJÖBADEN TACHKENT WENDEL SCHAUINS NIZMIR KIEV GAO, USSR KIEV UNIVERSITY, USSR LOS ANGELES, CALIF., USA MCMATH-HULBERT PONTIAC, MICH., USA MOSCOW-CAISH, USSR NEW SCHAUIN FREIBURG, GFR HAWAII, USA KYOTO, JAPAN KIEV KO KIEV KY LOCKHEED MCMATH HONOLULU IKOMASAN MOSCOU ATHENS, GREECE
PIRCULI, USSR
ROYAL OBSERVATORY,
CAPE OF GOOD HOPE
CAPRI, ITALY (GERHAN)
SAFEL, USSR
ROYAL GREENWICH OBSERVATORY,
HERSTMONGEUX, ENGLAND HAUTE-PROVENCE CAPRI F CAPRI S CRIMÉE HERSTMONCEU HTE-PROVEN CAPETOWN A THENES BAKOU

SEE DESCRIPTIVE TEXT PUBLISHED NOVEMBER 1961 FOR DEFINITION OF CORRECTED AREA VALUES LISTED FOR CLIMAX, HAMAII, LOCKHEED AND SACRAHENTO PEAK. ALL VALUES IN THE MAXIMUM INTENSITY COLUMN FOR SAC PEAK ARE ARBITRARY UNITS (0-40) AND FOR LOCKHEED ARE ARBITRARY UNITS (10-40), NOT PERCENT OF CONTINUOUS SPECTRUM.

E = LESS THAN MAY 1963



Stations Included:

Arcetri Bucharest Athenes Herstmonceux Huancayo Istanbul Lockheed McMath-Hulbert Ottawa Sacramento Peak

FEBRUARY 1963

PHOVISIONAL	IONOSPHERIC	i de la constante de la consta																	
PHO	IONO																		
	MAX.																		
	WIDTH	2																	
MEASUREMENTS	COBR.	Sq. Deg	8.80	3.20	3.20									1 + 80		2.30			
	MEAS.	Sq. Deg.	1.60	1.30	1.30									1.40		2 • 00			
	TIME	1.0	0945	1135	1353									1342		0941			
OBS.					Ċ	٧										м			
Ė	POR-					1-					1 1			1111		П			
DURA.	NO 1	MINUTES	21	74	10	0										12 D			
	McMATH	REGION	6689	6899	6689	0000										6899			
LOCATION	LAT. MER.	DIST	PATROL PATROL S15 E65 S15 E65	S15 E65	S15 E65	S15 E65	PATROL	PATROL	PATROL	PATROL	S15 E23 S17 E23	PATROL PATROL PATROL	PATROL PATROL	S16 E00 N12 E33 S16 W08	PATROL PATROL PATROL PATROL	PATROL PATROL PATROL S14 W28	PATROL PATROL PATROL	PATROL PATROL PATROL	PATROL
		PHASE	NO FLARE NO FLARE 0852 0909 0945				NO FLAKE		NO FLARE	NO FLARE		NO FLARE NO FLARE NO FLARE	NO FLARE NO FLARE	1342	NO FLARE NO FLARE NO FLARE NO FLARE	NO FLARE NO FLARE NO FLARE	NO FLARE NO FLARE NO FLARE	NO FLARE NO FLARE NO FLARE	NO FLARE
OPSERVED	END END		0040 0105 0902 0912 0955	1220	1400				1510	1145	1004	1410 1500 1510	0325	1151 1357 D 2012 D	0405 0535 1445 1500	0345 0545 0600 0953	1710 2125 2315 2325	1455 1910 2400	0205
	START		0000 0100 0840 0906 0934	1106	1350	1424	1610	1620	1135	1130	1000	1405 1450 1505	0315	1132 1338 1941 E	0350 0510 0545 1435 1450	0245 0405 0555 0941 E	1655 1800 2145 2320	1425 1750 1940	0000
DATE	н Н	1963	000000000000000000000000000000000000000	100	700	010	010	01	0.2	03	040	000	900	999	07 07 07 07	0000	60000	100	11
	OBSERVATORY		HTE-PROVEN HTE-PROVEN HTE-PROVEN	HTE-PROVEN	HIELPROVEN HIELPROVEN - OCAPANO	HTE-PROVEN					HTE-PROVEN HTE-PROVEN		NPVCOOLPTH	HTE-PROVEN CAPETOWN CLIMAX		CAPRI-F			

FEBRUARY 1963

	DATE		OBSERVED UNIVERSAL TIME	- TE	APPROX.	LOCATION SOX. McMATH	DURA.	. WI	COND	TIME	MFAS	MEASUREMENTS	MAX	MAX	PROVISIONAL
OBSERVATORY	FEB 1963	START	END ,	MAX PHASE	LAT. MER DIST			TANCE		1 n	AREA Sq Dog	AREA Sq Dog	WIDTH	INT.	IONOSPHERIC
	11	1545	1710	NO FLARE	PATROL										
	12 12 12	0205 2250 2315	0220 2310 2320	NO FLARE NO FLARE NO FLARE	PATROL PATROL PATROL										
	133	0245 0320 2245	0250	NO FLARE NO FLARE NO FLARE	PATROL PATROL PATROL						_				
CAPETOWN	14	00000	00005	NO FLARE 0657	PATROL N16 W76	9		1		0657	• 60				
	15	1440	1500	NO FLARE	PATROL	_									
	16	1105	1145	NO FLARE NO FLARE	PATROL			-							
CAPETOWN TACHKENT HTE-PROVEN	17 17 17 17	0155 0705 0711 0726 E	0200 0744 0742 0742	NO FLARE 0716 0716	PATROL N13 E71 N13 E70 N12 E70	1 6703 0 6703 0	33		2	0716	1.30	3 . 80	2.20	100	
CAPETOWN	18 18 18 18	1437 2135 2200 2255 2320	1522 2145 2250 2300 2330	1445 NO FLARE NO FLARE NO FLARE	N10 E44 PATROL PATROL PATROL PATROL	4		1.		1445	1.20	1 • 8 0			
	19 19 19 19	0215 0345 0420 1245 1355	0220 0350 0500 1250 1435	NO FLARE NO FLARE NO FLARE NO FLARE	PATROL PATROL PATROL PATROL										
CAPETOWN	20	1537	1553 D 1715	1542 NO FLARE	N10 E18 PATROL			1-		1542	1.20	1.30			
TACHKENT	21	0647	0713	0651 NO FLARE		7		1-	2	0651	• 45	• 50	1.60	45	
CLIMAX	21	2015 E			N16 E08	80		1-		2029	1.10				
	222222222222	0325 0805 0900 1005 1155	0330 0810 0920 1150	NO FLARE NO FLARE NO FLARE NO FLARE	PATROL PATROL PATROL PATROL										
	23	0205	0215	NO FLARE	PATROL										

FEBRUARY 1963

PROVISIONAL.	IONOSPHERIC	EFFECT																			
	MAX	INI °°																			
	MAX	WIDTH																			
MEASUREMENTS	CORR	AREA Sq Dog																			1.03
ME	MEAS	AREA Sq Dog.								_											1.00
	TIME	U.T.																		-	1508
OBS.	COND.																				2
×	POR.	TANCE	1-														_	_			1
DIBA.	NOIL	MINUTES																			
	McMATH	PLAGE																			
LOCATION	APPROX.	LAT. MER DIST	76W 70N	ATROL	PATROL	ATROL	PATROL	ATROL	PATROL	PATROI	PATROL	PATROL	PATROL	PATROL	PATROL	PATROL	ATROL	PATROL	N00 E65	ATROL	NO5 W15
		MAX L	Z	NO FLARE PATROL		FLARE	NO FLARE P		NO FLARE P	NO FLARE	FLARE	FLARE	NO FLARE P	FLARE	NO FLARE P	NO FLARE P	FLARE	NO FLARE P		NO FLARE PATROL	1508 N
OBSERVED	UNIVERSAL TIME	END	0860	0315	0330	0340	0420	0050	1435	0070	0530	0630	0325	0410	1220	0550	0610	0625	0955	0510	1522
		START	0854	0300	0320	0335	0350	0440	1425	0355	0500	0605	0305	0340	1215	0545	0605	0615	0922	0445	1455
DATE		FEB 1963	23	54	24	54	54	24	54	25	25	25	26	56	56	27	27	27	27	28	28
•	Vectavasae		HTE-PROVEN																HTE-PROVEN		CAPRI-F

These flare reports are addenda to the Pebruary 1963 published in CRPL-F 223 B for March 1963.

NEDERHORST den BERGH, NETHERLANDS	NIZMIR KRASNAYA PAKHRA, USSR						
NERA	NIZMIR	SAC PE	SALTS	SCHAUI	TACHKE	WENDEL	
HAWAII, USA KYOTO, JAPAN	KIEV GAO, USSR	KIEV UNIVERSITY, USSR	LOS ANGELES, CALIF., USA	MCMATH-HULBERT	PONTLAC, MICH., USA	MOSCOW-GAISH, USSR	EW SCHAUIN FREIBURG, GFR
HONOLULU IKOMASAN	KIEV KO	KIEV KY	LOCKHEED	MCMA TH		MOSCON	NEW SCHAU
ATHENS, GREECE PIRCULI, USSR	ROYAL OBSERVATORY,	CAPE OF GOOD HOPE	CAPRI, ITALY (GERMAN)	CAPRI, ITALY (SWEDISH)	SIMEIZ, USSR	ROYAL GREENWICH OBSERVATORY, HERSTMONCEUX, ENGLAND	HAUTE-PROVENCE
A THENES BAKOU			CAPRI F			HERSTMONCEU	HTE - PROVEN

ALL VALUES IN THE MAXIMUM INTENSITY COLUMN FOR SAC PEAK ARE ARBITRARY UNITS (0-40) AND FOR LOCKHEED ARE ARBITRARY UNITS (10-40), NOT PERCENT OF CONTINUOUS SPECTRUM.


SEE DESCRIPTIVE TEXT PUBLISHED NOVEMBER 1961 FOR DEFINITION OF CORRECTED AREA VALUES LISTED FOR CLIMAX, HAWAII, LOCKHEED AND SACRAMENTO PEAR.

E = LESS THAN D = GREATER THAN U = APPROXIMATE

□ = NOT REPORTED.

INTERVALS OF NO FLARE PATROL OBSERVATIONS

FEBRUARY 1963



SHORT WAVE RADIO FADEOUTS SUDDEN COSMIC NOISE ABSORPTION SUDDEN ENHANCEMENTS OF ATMOSPHERICS SUDDEN PHASE ANOMALIES SOLAR NOISE BURSTS AT 18 Mc

APRIL 1963

40011	UN	SWF		IMPORTANCE					WIDE				
APRIL 1963	START	END	MAX	TYPE		ABS	SCNA	SEA	SPA	BUR	SPREAD INDEX	STATIONS	K NOWN FLARE
10	1949	1951			1111	700				1	4	мс во	
11 11 11	0059 0138 0141 1735	0101 0140 0143 1737								1 1 1 1	5 5 5 4	НА МА НА МА НА МА МС ВО	*
12	0114	0116								1	5	на ма	*
13	1659	1704								2	4	мс во	
14	1600	2230								1	5	BO MC HA (Noise storm)	1600
+ -15 -15 -15 + -15 -15	1123 1124 1124 1615 1615 1616 1616	1153 1140 1144 1655 1705 1705 1715	1133 1126 1615 1621 1631	S	2	50		2+	87		5 5 1	EN A1 A3 A5 A15 A16 PR CW** CW*** LI NE RO BO (NPM87, NAA51, NSS36) MC AN BE BO FM HU LI NE PR WS BO BE MC RO MC A3 A5 A15 A16 BO EN	1118
16 16 16 16	0209 1630 1641 1648	0217 2000 1646 1654								2 1 2+ 2	5 5 4 4	HA MA BO MC HA (Noise storm) BO MC BO MC	* 1640
17 17 17 17	0121 1600 1819 1903	0124 2200 1833 1945		SŁ	1					1 1 1+	5 5 4	HA MA BO MC HA (Noise storm) BO MC (Group) HU BE FM MC PR	1900
18 18 18 18	1644 1753 1834 1918 2302	1646 1755 1838 1920 2304								1+ 1+ 1+ 1	4 4	MC BO MC BO MC BO MC BO BO MC HA	1837
19 -19 -19 -19 -19	1710 1741 1753 1757 1757	1712 1911 1830 1828 1901	1753 1803 1807	SL	2+	25	1	2	72	1-	5	BO MC BO (NPM72, GBR36, NAA30, NSS25) HU BE BO FM HU MC NE PR WS BO BE MC HA BO A1 A3 A5 MC MC BO	1756
19 + 20 20 20 20 20 20	0211 0212 0213 1653 1702 1816	0240 0256 0251 1654 1704 1820	0214 0217	S	2+	50	2	1		1 1 1 1 -	5 5 5 4 4 4	MC BO HA HA MA TO AD AN CA CW+ CW++ MA OK WS MA HA TO MC BO MC BO MC BO MC BO	*

+ = Sudden Enhancement of Signals on VLF stations observed by Al, A3, A5, or A14 RO = Rome, Italy EN = Preston, England A15 = Vermont A16 = Sao Paulo, Brazil

SOLAR RADIO EMISSION OUTSTANDING OCCURRENCES

MAY 1963


ARO-OTTAWA

2800 Mc.

MAY	TYPE	START UT	DURATION	М	AXIMUM		REMARKS
1963			HRS. MIN	TIME UT	PEAK FLUX	MEAN FLUX	
2	3 Simple 3 f	1845	1 12	1924	3	1.5	
2	1 Simple 1	2040	10	2045	2	1	
5	3 Simple 3 f	2012	1 45	2058	3	1.5	
5	3 Simple 3 A	2213	1 12	2235	2	1	
	l Simple l f	2213	8	2217	4	2	
6	3 Simple 3 f	1234	19	1239	2	1	
7	3 Simple 3	1244	56	Indet.	2	1	
7	l Simple l	1746	6	1748	2	1	
9	3 Simple 3 f	1811	1 29	1855	2	1.5	
9	3 Simple 3	2246	12	2255	2	1.5	
13	3 Simple 3	1324	2 01	Indet.	2	1	
13	3 Simple 3	2209	>1 16	Indet.	3	-	1
14	l Simple 1	1413.3	1.	1413.7	2	1	
15	l Simple l	1137.5	12.	1140	2	1	
15	l Simple l	1740	5	1742.5	2	1	
16	3 Simple 3 f	1800	1 40	1830	3.5	1.8	
16	3 Simple 3	2040	>2 55	Indet.	9	-	
19	3 Simple 3	2052	38	2107	3	1.5	
19	l Simple l	2 144	2	2145.2	4.5	2.3	
20	3 Simple 3	2254	29	2258	2	1	
22	3 Simple 3 f	1728	17	1731.5	2	1	
23	3 Simple 3 A	12 10	35	Indet.	2	1.7	
	2 Simple 2 f	1236	6	1236.5	27	7	
24	2 Simple 2	1515.3	5	1515.9	32	6	
25	2 Simple 2	1621.8	6.2	1622.5	16	4	
25	l Simple l	1641	2	1641.8	1	0.5	
25	3 Simple 3 A f	1658	2 00	1713	4.5	2.3	
	6 Complex f	1701.5	8.5	1702.3	19	5	
26	3 Simple 3 A f	2202	>1 28	Indet.	10	-	
	l Simple l	2212	3	2213	2	1	
29	3 Simple 3	1517	>20	Indet.	2	-	
30	6 Complex f	1817.3	2.9	1819	3	2	

COMMERCE - STANDARDS - BOULDER

SELECTED 2800 MC/S SOLAR NOISE BURSTS OTTAWA, CANADA



SOLAR RADIO EMISSION OUTSTANDING OCCURRENCES MAY 1963

BOULDER

108 Mc.

May 1963	Type Start UT		Time of Maximum UT	Duration Minutes	Intensity
2	3	1601.1	1601.5	0.8	2
2	3	1728.1	1728.2	1.8	1
3	3	1521.1	1521.4	1.0	3
5	3	1518.5	1518.9	1.4	2
9	3	1803.0	1803.5	0.8	2
16	3	1342.0	1342.5	1.5	2
17	3	1945.1	1945.8	1.0	3
20	7	23 15	2346	157 D	2
21	6	1145E	1250	205 D	1
23	7	1230	1308	≈ 90	1
23	4 A	1549.0	1550	2.5	2
23	4B	1600	16 10	·~ 75	1
24	6	1143E	1245	128 D	1
24	3	1515.0	1515.5	1.8	3
24	8	1521.3	1522.0	4.8	3
25	8	0126	0130.8	8	3
25	3	1610.0	1610.7	1.0	3
25	9▲	1621.4	1623.5	5.2	3
25	9B	1626.6	2010	665 D	2
26	6	1403E	2218	552 D	2
29	8	1537.0	1541.0	6.0	3
30	3	1817.0	1818.2	1.4	3

COMMERCE - STANDARDS - BOULDER

NOMINAL TIMES OF OBSERVATION OUTSTANDING OCCURRENCES

MAY 1963


BOULDER

May 1963	U.T.			May 1963	U.T.		
1	1205-0135	I	1958-2057; 0045-0115	20	1637-1845; 1854-0152		
2	1204-0136			21	1145-0153		
2 3	1203-0137			22	1144-0154	I	2045-2149;
4	1202-0138	I	Throughout day				2237-2318
5	1201-0139			23	1143-0154	I	2227-2351
6	1159-2109; 2225-0140			24	1143-0155	I	1730-2115; 0033-0117
7	1158-0141			25	1142-0156	I	2303-2332
8	1157-0142			26	1403-0157		
9	1156-0143			27	1141-0158		
				28	1140-0158	I	1930-2100
10	1155-0144	I	2150-2245				
11	1154-0145			29	1140-0158	I	1930-2345
12	1153-0146			30	1139-0159	I	1930-0159
13	1152-0146	I	2210-2245	31	1139-0159	I	1815-2230
14	1151-0147	Ι	2213-2232				
15	1150-0148						
16	1149-0149	I	1817-2100				
17	1148-0149						
18	1147-0150	I	0040-0108				
19	1147-1838						

COMMERCE - STANDARDS - BOULDER

108 Mc.





SOLAR RADIO EMISSION SPECTRUM OBSERVATIONS

MAY 1963

HAO BOULDER

7.6 - 41 Mc.

Date		Bursts			Date	Date Bursts			
1963	Type	Time (U.T.)	Inten- sity	Frequency Range (mc)	1963	Туре	Time (U.T.)	Inten- sity	Frequency Range (mc)
1 May 2	III III III	2315.30-2316 1537.30-1538 1838.15-1838.30 2427-2427.15	1- 1- 1-	21-41 18-41 17-41 22-41		III III III	1855-1855.30 2002-2002.30 2012.45-2013.30 2127.30-2128	1 1- 1- 1-	21-41 24-31 22-41 28-41
4	III	1453.30-1454	1-	7-41		III	2201.45-2202.15	1-	24-41
7	111 111 111 111	1718.30-1719.30 2009.15-2010 1657.30-1658.45 2215.45-2217.15 2304.30-2305.45	1- 1- 1- 1-	21-37 7-41 29-33 21-41 22-41		III III III III continuum	2217-2217.30 2228.30-2228.45 2236-2236.15 2243.45-2244.15 2257-2345	1- 1- 1- 1-	24-41 27-41 25-38 24-41 16-41
10	III	1607.30-1607.45 2015.30-2017.15 2126-2126.15	1- 2 1-	23-41 16-41 20-41		III III	2415=2415.30 2436.30=2438.15 2439.30=2440	1+ 1+ 1	24-41 20-41 27-41
11 13	III	1855-1855.45 1514.30-1515.15	1- 1-	7-41 7-41		III	2441.15=2442 2443.45=2444.45	1 2	31-41 30-41
14	III continuum III III	1533-1534 1343-1348 1411.30-1412 1930.15-1930.45 2236-2237.45	1- 1 1- 1	7-41 19-41 25-41 22-41 16-41	19	III III III	2450.15-2451 2506.45-2508.15 2511.15-2511.30 1302.15-1304.45 1359.15-1359.45	2 1- 1- 1	29-41 22-41 32-41 12-41 22-41
15	continuum III III III III	1500-1735.30 2058.15-2058.30 2250.15-2250.45 2415.45-2416 1536.45-1537	1- 1- 1- 1-	21-41 18-41 14-41 26-41 23-41		III III III	1409.15-1409.30 1629.15-1630 1736.30-1736.45 1738.15-1738.45 1836.45-1837	1- 1- 1- 1-	25-41 16-41 20-41 23-41 17-41
	III III III	1539.45-1540 1711-1711.30 1852-1852.30 1917-1918 1933.15-1934.15	1- 1- 1- 1	24-41 24-41 22-41 22-41 20-41		continuum III III III III	2006-2045 2057.15-2057.45 2138.30-2141.30 2142.15-2142.45 2144.30-2146.30	1- 1 2 1- 2	22-41 23-41 21-41 29-41 20-41
17	III III III III	1143.15-1143.45 1228.30-1229 1238.45-1239.30 d 1245.45-1246.30 1421.15-1421.30	1- 1- 1- 1-	16-31 22-41 19-41 19-41 31-41		continuum III III III	2150-2305 2306.15-2307.30 2409.15-2409.45 2437.30-2438.30 2449-2449.45	1- 1- 1- 1- 1-	24-31 21-41 21-41 15-41 25-41
18	III III No Observ. III III	1435.15-1436.45 1646.30-1647 1928-2239 2307-2309 1519.45-1520.15	1- 1- 1	21-41 26-41 22-41 29-41	20	III III III III	1320.30-1321 1505.30-1505.45 1609.15-1609.45 1617.45-1618.15 1700.30-1701.30	1- 1- 1- 1- 2	23-41 22-41 22-41 21-41 19-41
	III III III	1530-1530.30 1532.45-1533 1603.30-1604.15 1632-1900 1642-1642.30	1- 1- 1- 1- 1-	29-41 32-41 21-41 18-41 24-41		III III III	1804.15-1804.45 1830.45-1831 1841.45-1842.15 1845.30-1846.30 1859.15-1859.30	1- 1- 1- 1-	22-41 31-41 28-41 24-41 24-41
	III III III	1650.45-1651 1654-1654.15 1702.15-1703.45 1809.15-1809.30 1825.30-1826	1 1 1+ 1- 1-	35-41 18-30 21-41 25-39 24-41		III III III	1919.30-1920 1927.15-1927.45 2034.45-2035 2120-2124.15 2210.15-2211	1 1- 1- 1	16-41 21-41 20-41 21-41 18-41

SOLAR RADIO EMISSION SPECTRUM OBSERVATIONS

MAY 1963

HAO BOULDER

7.6-41 Mc.

Date		Bursts			Date		Bursts		
1963	Type	Time (U.T.)	Inten-	Frequency Range (mc)	1963	Type	Time (U.T.)	Inten- sity	Frequency Range (mc)
	III	2217-2217.15	1-	20-41		Ill	1744-1744.30	1-	120-41
	III	2235.15-2236	1-	36-41		III	1756.45-1757	1-	28-41
	III	2241.30-2242.30	1	17-41		III	1757.30-1758	1-	28-41
	III	2247.30-2249	1	23-41					
	III	2256-2257.45	1-	34-41	24	III	1802.45-1803.15	1	29-41
		1			cont.	III	1807.15-1808.45	2	19-41
	III	2303.15-2304.30	2	21-41	COLCO	III	1810.15-1812.30	1-	24-41
	IV	2313.30-2422	2	22-41		III	1815.15-1815.45	1-	25-41
	III	2340.15-2341.30	1	22-41		III	1822.30-1824	1-	27-41
İ	III	2345.15-2345.45	1	16-41		111	1022.30-1024	1-	27-71
	III	2458.45-2459.15	1-	22-41		III	2048.30-2048.45	1-	30-41
-						111	2049.15=2049.30	1-	25-41
21	III	1334-1334.30	1-	23-41		III	2049.15=2049.50	1-	20-41
	III	1444.30-1444.45	1-	26-41				1-	31-41
	III	1448-1448.15	1-	26-41		IlI	2058.30-2059	1	16-41
	III	1506-1508.30	1-	23-41		continuum	2526.15-2545	1	10-41
	III	1511.15-1512.15	1-	12-41			3/30 hr 3/3/	3+	7-41
			_		25	III	1620.45-1626 1631.45-1654	3+	19-41
	III	1959-1959.45	1-	23-41		II		1-	25-41
	III	2148-2148.45	1-	21-41	,	IA	1652-1712	1-	23-41
	III	2154.15-2155.30	ī	21-41		IIl	1825.30-1826		
	III	2359-2359.45	1-	20-41		III	1830.30-1832	3	20-41
	III	2535.15-2535.45	1-	23-37				_	!-
	111	2777617-2777647	1-	2)-71		III	1946.30-1947.15	1-	21-41
22	III	1625.30-1626.30	2	18-41		continuum	2023-a2530	2	19-41
	III	2026-2026-30	1-	24-41		III	2024.15-2025	2	7-41 18-41
	III	2135-2135.30	1-	24-41	26	lII	1346.15-1348.15	1-	
	III			18-41		IlI	1348.30-1349	1-	22-41
	III	2136.30-2137	1-						
	111	2146.30-2147	1-	32-41		continuum.	b1354-1420	1-	25-41
		1				III	1422-1422.30	1-	23-37
	III	2147.15-2148	1	21-41	ļ	III	1505.45-1506.15	1-	21-41
	III	2215.15-2216	1	32-41		III	1507.30-1507.45	1-	22-41
	III	2246-2246.45	1	21-41		III	1509.30-1509.45	1-	22-41
	III	2247-2247.45	1~	25-41					
	III	2248.30-2249	1-	30-41					
						lII	1530.30-1533.45		29-35
	III	2340.15-2341.30	1-	22-41		continuum	1620-1750	1-	28-41
	III	2343.15-2344.15	1	20-41		III	1805.45-1806	1-	22-41
23	II	1254.45-1304	2	29-41		III	1827.45-1828.15		7-41
	IV	b1343-1425	1-	22-41		III	1902.15-1902.30	1-	21-41
	III	1521.45-1524	2	7-41		T.			
						III	2025-2025.30	1-	24-41
	III	1550-1551.45	1+	7-41		III	2035.15-2035.30		21-41
	IV	e 1600-2015	1	22-41		III	2052.30-2052.45		21-41
	III	1828.45-1830.15	1.4	25-41		III	2109.15-2109.30		23-41
	III	2019.30-2020	1-	21-41		III	2114.15-2114.30	1-	7-41
	111	2038.15-2038.45	1-	32-41					
						continuum	2206-a2420	3	18-41
	III	2141-2141.15	1-	22-41	27	III	1347-1347.30	1	25~41
	continuum		1-	26-41		III	2034-2034.15	1-	23-31
	III	2425-2425.30	1-	22-41	28	III	2033.30-2034.30	1-	7-41
24	III	1434.30=1436	2	23-41		III	2037-2037.30	1-	23-36
24	III	1515.45-1518	1+	7-41					
	111	1717.47-1710	ΤŦ	/ - / +		No Observ	2102-2217		
	II	1524.30-1540	1	22-41		1II	2322.15-2322.30	1-	19-41
		1			30	III	1818-1819.30	1	7-41
	III	1718.15-1718.30	1-	27-41	,,	III	2000.15-2000.45	_	20-41

e = strong local interference

Note: Data from 24 July 1959 to 28 February 1961 have been published in the IGY Solar Activity Report Series, Number 23, available without charge from the World Data Center A: Solar Activity, High Altitude Observatory, Boulder, Colorado. The title of the report is "Solar Radio Emission. Spectral Observations in the Decameter Range, 24 July 1959 - 28 February 1961."

d = harmonio structure

. Show the theorem is the second of the contraction of the tensor of the second second of the second secon 01 02 1 14 12 10 10 08 05 06 06 00 00 01 01-01 04 13 10 07 09 07 04 06 05 05 07 09 02 03 01 02 9 03 03 05 06 06 06 08 114 29 20103-03-02-02-01-03-03 -03 04 03-02-02 00-01 00 09 08 04-00-01 04 05 04 08 15 06 00-01 01 01 06/08 UB 08 07 06 05 05 05 04 04 05 04 02 14108 05 07 09 01 03 04 09 09 09 08 07 06 06 06 05 05 04 04 04 02 03 05 06 07 07 -01 03-67 09 07 06 07 08 07 06 06 06-47 08 07 05 07 08 06 04 06 19 09 07 07 08 06 06 07 05 05 04 05 04 01 00 04 05 06 0 09 06 05 07 06 06 07 07 05 05 06 04 01 01 03 05 06 01 03 06 09 07 05 05 07 08 06 04 07 07 01 00-00-01-00 01-02 09 02 02 00-01 00-01 00 03 02 01 02 04 02 01 0 01 01 01 02 02 04-06 03 03 05 03 0 -00 01-01 05 0

Stanford, 1963 Nay 02, 20-21 hrs UT. Brightness Unit = 3.1 x 10 $^{\rm o}$ K.

9.1 cm SPECTROHELLOGRAM Stanford, 1963 May 01, 20-21 hrs UT; Brightness Unit = 3 7 x 10 $^{\circ}$ Kr.

Stanford, 1963 May 03, 20-21 hrs UT; Brightness Uhit = 3.1 x 10° *K,

02 03 01-00 02 06-07-06

50 90

ot 90 10 10 00-20-

20 00-60

Stanford, 1963 May 05, 20-21 hrs UT; Brightness Unit = 3.2 x 10 $^{\rm o}$ K.

STANFORD

, 9.1 cm SPECTROHELIOGRAM Stanford, 1967 May 04, 20-21 hrs UT; Brightness Unit = 3.2 x 10 $^{\circ}$ %.


108,06 08 04 02-01-03-02


03 06 00


1963 MAY 12

STANFORD

MAY 1963







50 00 00

01-02-03-02


40 10 00-00-10-

Stanford, 1967 May 10, 20-21 hrs UT; Brightness Unit $\approx 3.7~x$ 1G $^{\circ}$ K.

9.1 cm

MAY 1963

6941





SOLAR RADIO EMISSION SPECTROHELIOGRAMS

STANFORD

MAY 1963

9.1 cm







1963 MAY 19


MAY 1963

STANFORD


9.1 cm








1963 MAY 30




SOLAR RADIO EMISSION SPECTROHELIOGRAMS

MAY 1963

STANFORD





COSMIC RAY INDICES (Climax Neutron Monitor) IGC Station B 305 April 1963


Apr. 1963	Daily average counts/hr*	Apr. 1963	Daily average counts/hr*
1	3211.9	16	3214.5
2	3207.1	17	3203.3
3	3199.4	18	3207.0
4	3202.7	19	3176.9
5	3205.5	20	3154.4
6	3188.5	21	3164.1
7	3177.4	22	3149.4
8	3182.2	23	3158.6
9	3187.0	24	3175.4
10	3186.4	25	3179.4
11	3186.0	26	317.7.4
12	3186.2	27	3184.4
13	3195.8	28	3169.8
14	3183.5	29	3177.8 **(38)
15	3200.9	30	3181.2

COMMERCE - STANDARDS - BOULDER

*Scaling Factor 128

**Number of Section Hours

COSMIC RAY INDICES
(Pressure Corrected Hourly Totals)



R	Rot Nr.	day	Ca
778 \$\$7 778 878 778 \$\$\$	19	J 13 F 9	2 2.7766 523 156 312 366 212 212 472 212 472 323 454 656 72. 1 4 8 64 442 447 222
SEE 378 SEE	57	M 8	447 222 .36 433 455 536 477 755 545 .566 36
\$7 福 國 7% 國 國	1694	A 4 M 1	566 . 36743 3.5 477744 . 36 255 543 433 223 433 223 335 321 311 . 11 343 121 362 116 211
222 222 1	96	M28	6 2 666 622 12 . 5 . 4 564 442 477 45 .
国第7 国第7	1697 OR	J24 J21	
157 E E	99	A 17	
		S 13	1664 333 11 7 816 52 2 87 535 33 11 2 554 67 3 554 67 3 121 23 6 552 223 454 222 3 1 5 65 665
	02	N 6	565 665 43 <u>5</u> 53
			3 26 653 557 652 545 355 4 1 . 145 1 . 1 577 5 577 5 12 1 132 344 444 563 565 525 422 422
575 TH TH		126	422 422 221 466 665 5 7 552 466 666 652 2
	60		652 2 4 566 665 555 775 516 676 655 666 655 666 143 655 656 654 222 21 566 776 14
细胞的	1708	A 17	776 44, 243 336 665 <u>3, 2 32,</u> 335 <u>2</u> 46 664 453
778 開 圖	1710	M 14	664 453 2 665 737 76 24 746 654 245 654 245 3 227 64 <u>5</u> 422 78 2 4 , 4 53 4 17 445
	11	J 7	4 17 445 44 146 657 5 5 5 3 2 3 44 3 3 1 1 3 1
		A 3 A 30	3,,,,3,,244,33,,237,53,,64,754,733,2,,,,7 8 2,,,, 787 ,4,563,,,,,,74,,,,,,,7 <u>622,,54</u>
377 (S) 131 134 645	14	S 26 0 23	622 :54 35 : 334 3 : . : . : : 22 222 : :7 773 366
41 2 2		N 19	2 322 53 52 763 . 33 . 2 . 753 . 466 542
768 - 857	1717	0 16 J 12	
67t ttl 15t	19	F 8	35, 655 667 513 4 4 . 7 767 765 431 13 15
数量量 57 67 编	59 1721	M 7 A 3	
778 111 138	22	A 30	522 ,46 ,6446 84,664 543 343 762 1 152
	23	M 27 J 23	1,, 52 545 432 353 6, 22, 22 223 46, 466 46, 466 76, 4, 4 434 453 763 417 826 544 366
778 20 200	25	J 20	544 366 663 2,4 545 525 445 42 , 116 886 566
\$10 mm m3 \$77 \$34 577	26 27	A 16 S 12	445 545 667 776 565 552 375 776 7423
667 778 787 788 755 888	28 29	09 N5	653 323 3 6.2 343 .44 622 447 476 673 74.
887 577 877	30	02	67374, 12, 145764 234, 1642 667 54, 11
878 877 768 878 764	1731	0 29 J 25	
566 557 666	19	F21	532 5.4 555 443 .33 562 .25 753 .3 24
783 888 778 877 666 678	60 1735	M 19 A 15	3 2 1.4 1.1 455 317 766 454 466 664 666 5 666 5 1.4 775 677 47 4 2.3 778 43 7 534 3 7 4
777 783 777	36	M12	534 274 6 655 457 536 . 27 664 165
788 645 788 876 788 766	37		65, , , , 43, 244 243 336 576 676 445 43, 2 43, 22 333 687 646 633 22, 21, 666 45,
4 2 5 333 337 675 733 333	39	A 1	45 245 455 242 784 566 42. 4 477 4 5
36 3 4 78 766	41	524	6,24,4677 466 634 4 4 633 2 577
555 556 877	42	021	2 577 676 663 457 3 578 778 5 276 5 276 264 455 248 62 256 552 254 76 264
764 357 754		014	1.76 264 565 442 475 544 2 256 2 . 5
324 433 545 442 224 423	19	J 10 F 6	532 2 2 55 266 756 553 2 32 376 532 2 2 532 2 2 55 266 756 553 2 232 2 146 47
332 444 566		M 5	46. 147 . 12 665 436 433 221 254 131 446 112
564 435 435 663 343 345	1748		1
433435577	1750	M 25	62 . 3 . 2 566 322 454 2 33 . 423 772 . 2 .
754 544 566 655 332 ,47	51		772 121 216 123 447 442 242 188 656 855 634 855 634 345 852 212 755 211 413 511 221 112
753 334 443	53	A 14	22 1 112 11 2 32 1 466 633 131 2 1134 261
476 445 444	55	S 10 0 7	1. 35 4
, 35 43 , 223 553 , , , , 36	56	N 3	1,5 475 3, 4.3 .4733 2
532 , , , 224	1758		254 42 , 2

R	Rot Nr.	1 st day	C9	
665 532 122	19	J 23	23 . 12 5 5 35 443 64 2 43	2
477 6422	62	F 19	2 43 2 244 - 22 2 14 62 . 33 42 (2 24 3 4 .	,
465 332 213	02	M 18	243 4 . 1 . 12 2 . 13 243 267 636 52 1 . 22 23 :	2
655 433 433	1762	A 14	22 232 356 3.3 322 112 2152 1.1 2.3 44.	2
322 454 432	63	M 11	2.3462 .31311.5211323 2 5 411	2
333 543 333	64	17	2.54,2,23,,334, 125444 222 543 23	,
222 222 211	65	14	563 23 , 222 32 , 363 226 676 52 , 363 3 ,	2
24 332	86	131	363 3 : 2 556 53 : 2 555 54 : : 64 54 2 - : : 4 46	6
. 35 544 422	67	A 27	6 6 6 6 6 6 6 6 6 6 9 2 1 7 5 3 6 2 2 1 6 6 2 5 6 1 1 6 2 6 2	2
444 223 553	68	S 23	4 622 547 533 343 665 623 635 246 345 56	6
333 22 , 224	69	020	245 566 665 342 244 5.5 421 .3 6 62	5
53, 2,3 63,	17 70	N16	62 5 654 5 12 226 2 42 1 1 163 433 16	7
2 : 3 2 : . 23 :	71	0 13	433 ,67765 3 6 3 2	6
. 23 2 223	10	J 9	, 66 665 65,, 232, 676	7
321 112 211	60	J 9 F 5		5
232 211 211			., 265 753 2 , 21	
226 444 31.	1775	M31	.3. 156 542 2 234 411 432 .32 2 56	6
122 454 553				
22	77	M24	.2, 245 32	

Symb	ol		,	2	3	4	5	6	7	8	
R	•		1 15	18 38	31 45	ii iii	81 80	81 100	101 230	\$ 170	171
C#	•	0	1	2	3	4	5		7		
Cp	-	al) a.1	4) 4)	as a.S	a8 a7	al al	u u	12 1,4	15 1.8	1.0	25
					11 13	14 17	10 24	25 48	41 81	02 14.0	141

Daily Geomagnetic Character Figures C9 and Sunspot Numbers R

For explanation and previous years see "Abhandlungen der Akademie der Wissenschaften, Göttingen, Math.-Phys.Klasse, Beiträge zum l.G.I., Heft 3, (1958)" (If not available request from Geophysikalisches Institut , Herzberger Landstrasse 180, 34 GÖTTINGEN, 6 ermany)


COMMERCE - STANDARDS - BOULDER

GEOMAGNETIC ACTIVITY INDICES

APRIL 1963

Apr. 1963	С	Values Kp Three hour Gr. interval 1 2 3 4 5 6 7 8	Sum	Ар	Final Selected Days
1 2 3 4 5	0.5 0.2 0.1 1.1 1.4	3+ 5- 4- 20 20 1+ 0+ 00 10 1- 00 0+ 1- 2- 20 2- 3- 1+ 1+ 10 0+ 1- 1- 0+ 1- 2- 2+ 3+ 4- 40 4+ 4+ 5+ 6- 40 3+ 4- 40 40 30	17+ 80 8+ 24+ 330	12 4 4 19 32	Five Quiet 10 11
6 7 8 9	1.2 0.8 0.4 0.3 0.0	3- 30 5- 4- 3+ 3- 30 3+ 3- 3- 4- 4- 30 30 10 30 30 1+ 1- 2+ 20 2- 20 1+ 1- 3+ 20 1+ 2- 20 20 10 00 00 0+ 0+ 10 1- 10 0+	26+ 23- 14+ 140 4-	19 15 7 7 2	21 24 28
11 12 13 14 15	0.2 0.6 0.7 1.1 0.9	0+ 00 1- 20	6- 17+ 180 24- 21+	3 9 10 17 15	Five Disturbed 4 5
16 17 18 19 20	0.3 0.3 0.9 0.8 0.6	3- 20 10 10	120 13- 20- 19- 14-	6 7 15 10 7	6 14 30
21 22 23 24 25	0.1 0.7 0.4 0.1 0.1	00 1- 00 2- 2- 10 10 1+ 3+ 1- 0+ 10 10 1+ 4- 40 2+ 40 4- 1+ 1+ 10 1- 00 00 00 0+ 1- 10 1- 10 1- 1+ 2- 1+ 00 0+ 0+ 10 20	7+ 15+ 14+ 4+ 80	4 11 9 2 4	Ten Quiet 2 3 10
26 27 28 29 30	0.3 0.7 0.2 0.1 1.2	2- 2+ 1- 0+ 1- 10 2- 2+ 2- 20 20 2+ 3- 3- 4- 1- 0+ 00 1- 1+ 10 10 10 10 1- 20 10 10 0+ 10 10 1- 10 1- 1- 2- 2- 5- 6+ 4+	11- 18- 6+ 8- 210	5 10 3 4 23	10 11 21 24 25 26 28 29
Mean:	0.54		Mean:	10	

COMMERCE - STANDARDS - BOULDER



PACIFIC

NORTH

CRPL RADIO PROPAGATION QUALITY FIGURES AND FORECASTS APRIL 1963

ATLANTIC

NORTH

00000 0.47 7 F 0 7 8 0 7 12012 1-7 1-7 1-3 1-7 OAYS DAYS OAYS OAYS FINAL Jpg SOW Jp 10001 0000 OAY INDEX SHORT-TERM FORECASTS ISSUED AT 008 20 9 1 0000 0090 100 TO 0700 700 9000 OEOMAGNETIC KFR HALF 081 (J-REPORTS) FOR WHOLE GAT, 199UED IN AGVANCE BY 1-7 1-7 1-3 1-7 0478 DATS DAYS OATS FINAL Jg SDW J 12 0 0 7007 0 0 0 1 0 0 AHOLE OAY INDEX 1 + 9 9 9 9 20 10 0 2 0 0 0 90 2000 11100 1 600 0 000 60 + 10 0 2 % +99 + + 9 + 9 + 9 9 9 9 9 9 9 NONTH ATLANTIC 6-NOURLY OUALITY FIOURES 2 2 8 1 4 2 0 4 1 4 1 1 0 0 Quiet Periods 2 2 8 60-0 2 0 Disturbed Periods APRIL 1963 Score:

() Represent disturbed values. All times are Universal Time (U. T.))


Errata: In table VIa CRFL-F 225, Part B, May 1963 the score columns were misplaced under the short-term forecasts for the North Pacific. The column beginning with 15 belongs under the O600 forecast and the column beginning with 21 belongs under 1800.

APRIL 1963




| Range of reports


Quality figure




Outcome of advance forecasts -- final estimates (1 to 7 days ahead).


NORTH ATLANTIC





APRIL 1963





Adapted from Observations by Deutsches Bundespost

INTERNATIONAL URSIGRAM AND WORLD DAYS SERVICE

MAY 1963

Issued May 1963 Day/Time U.T.	Advance Geophysical Alert	No.	World-Wide Geophysical Alert	Special World Intervals
01/1600		198	Magnetic Storm April 30 1523Z	Start
02/1300	Manila, Solar Flare, Three Plus 01/05132			
02/1600		199		Continue
03/1600		200		Finish
07/0249	Climax Solar Flare, One Plus, 06/1236Z			
27/1255*	Wendelstein, Solar Flare, Three, 27/0524			

COMMERCE - STANDARDS - SOULDER

^{*} This alert actually was not issued by AGIWARN but was relayed by AGIWARN to Western Hemisphere organizations after receipt from Darmstadt.